
Vibrating Screen & Perforated Screens





Vibrating Screen




We specialize in the manufacture of industrial screens.

We stock extensive range of wire screens from 3mm aperture to 63 mm.

These screens are manufactured in thickness up to 10mm providing a sturdy life.

Most screens are clamped to provide hooked screens to provide for tensioning.

The clamping of the hook's are done at 45-60 degree angle. There are three types of hooks.



Side Edge Hooks




Plain Edges



Plain wire hook (for 8 & 10 mm thickness)



Sheet metal hook (for 2mm to 7mm thickness)



Sheet metal hook with double fold (less than 2mm thickness)





The screens are manufactured using Spring Steel wire (High Carbon), SS, GI. We have the capacity to manufacture high quality with the shortest lead time.

Vibrating Screen - Technical



Aperture	Wire Dia	
2	0.9	
2.5	1.4	
3	2	
3	2.5	
4	3	
5	3	
4 5 5	2.5	
5	2.5 3	
6	2.5	
6	3	
6	3 4	
7	3	
7	4	
8	3	
8	3 4	
8	5	
10	3	
10	4	
10	5	
10	6	

Apartura	W. D.
Aperture	Wire Dia
12	3
12	4
12	5
12	6
14	4
14	5
14	6
14	7
16	4
16	5
16	6
16	7
18	4
18	5
18	6
18	7
18	8
20	5
20	6
20	7

Aperture	Wire Dia
20	8
22	5
22	6
22	7
22	8
24	5
24	6
24	7
24	8
24	10
26	5
26	6
26	7
26	8
26	10
28	6
28	7
28	8
28	10
30	6

Aperture	Wire Dia	
30	7	
30	8	
30	10	
32	6-10	
34	6-10	
36	6-10	
38	8-10	
40	8-10	
42	8-10	
44	8-10	
46	8-10	
48	8-10	
50	8-10	
54	8-10	
60	8-10	
63	8-10	
70	8-10	
80	8-10	
90	8-10	
100	8-10	

Perforated Sheets

Perforated products are used across a wide section of industry for varied purposes like sound insulation, filtration & decorative uses.

We specialize in custom manufacturing of perforated sheets in various metals.

Our Range

Sheet thickness - 0.35mm to 12mm

Hole Diameter - 0.5mm hole dia to 100mm hole dia MS, SS, Aluminium, Copper, Brass and various other metals and non-metals

Width - 200mm to 2.5mtr

The different shapes we can perforate is

- Round
- Square
- Rectangle(Slotted)
- Hexagonal
- Diamond
- Triangle









Readily Stocked Items

Hole (in MM)	Pitch (in MM)	Open Area %
0.5	1.1	18.74
0.8	1.4	29.61
0.9	1.4	37.48
1	1.7	31.38
1.2	2	32.65
1.5	2.5	32.65
1.8	3.5	23.99
2	4	22.67
2.2	4	27.43
2.5	4.5	27.99
3	5	32.65
4	6	34.34
5	8	35.43
6	9	40.31

Hole (in MM)	Pitch (in MM)	Open Area %
8	12	43.89
10	15	40.31
10	20	22.67
12	18	40.31
16	25	37.15
20	30	40.31
25	35	46.27
28	39	46.75
30	50	32.65
40	60	39.99
45	68	39.42
50	65	53.66
55	83	39.52
65	80	59.87

For More Details Contact:



Regd. Office

#26, 2nd Floor, G. S. Building, M. R. R. Road, S. J. P. Road Cross Bengaluru - 560002

Ph: +91 80 22484395 / 080 41224211
Email: banaraswalablr@gmail.com /
sales@banaraswalawirecrafts.com
Web: www.banaraswalawirecrafts.com

Factory & Office

#20, Nandagokula Industrial Layout, Thigalarapalya Main Road, Peenya 2nd Stage, Bengaluru - 560058 Ph: 080 - 41134046